

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058


1 of 1

ТНСР

Sample ID: SA-231103-29385 Batch: 11.10.23 Type: In-Process Material Matrix: Concentrate - Distillate Unit Mass (g):

Received: 11/03/2023 Completed: 11/09/2023





| ND | 90.3 % | 93.6 % | Not Tested | Not Tested | Yes | |
|--------------|---------|--------------------|------------------|----------------|------------------------------------|--|
| Total ∆9-THC | Δ9-ΤΗϹΡ | Total Cannabinoids | Moisture Content | Foreign Matter | Internal Standard Normalization | |

Cannabinoids by HPLC-PDA and/or GC-MS/MS

| Analyte | LOD (%) | LOQ (%) | Result (%) | Result (mg/g) |
|--------------|------------|------------|---------------|------------------|
| СВС | 0.0095 | 0.0284 | ND | ND |
| СВСА | 0.0181 | 0.0543 | ND | ND |
| CBCV | 0.006 | 0.018 | ND | ND |
| CBD | 0.0081 | 0.0242 | ND | ND |
| CBDA | 0.0043 | 0.013 | ND | ND |
| CBDP | 0.0067 | 0.02 | ND | ND |
| CBDV | 0.0061 | 0.0182 | ND | ND |
| CBDVA | 0.0021 | 0.0063 | ND | ND |
| CBG | 0.0057 | 0.0172 | ND | ND |
| CBGA | 0.0049 | 0.0147 | ND | ND |
| CBL | 0.0112 | 0.0335 | ND | ND |
| CBLA | 0.0124 | 0.0371 | ND | ND |
| CBN | 0.0056 | 0.0169 | ND | ND |
| CBNA | 0.006 | 0.0181 | ND | ND |
| СВТ | 0.018 | 0.054 | ND | ND |
| ∆8-THC | 0.0104 | 0.0312 | ND | ND |
| Δ8-THCP | 0.0067 | 0.02 | 3.34 | 33.4 |
| Δ9-THC | 0.0076 | 0.0227 | ND | ND |
| Δ9-ΤΗϹΑ | 0.0084 | 0.0251 | ND | ND |
| Δ9-ΤΗCΡ | 0.0067 | 0.02 | 90.3 | 903 |
| Δ9-ΤΗϹ٧ | 0.0069 | 0.0206 | ND | ND |
| Δ9-ΤΗϹVΑ | 0.0062 | 0.0186 | ND | ND |
| Total Δ9-THC | | | ND | ND |
| Total | | | 93.6 | 936 |

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 11/09/2023

Tested By: Scott Caudill Laboratory Manager Date: 11/09/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.